# Centauro L 120/56 APR



# **Technical Specification**

All specifications subject to change without prior notice




#### Features:

Width(transport): m 2,55
Length (transport): m 13,00
Height (transport): m 3.10
Shredder Type: FTR 1200

Screenunit: CVV 056/2 double deck
Weight: Kg 30.000 (Without Optional)
Weight: Kg 35.500 (Full Optional)

Genset Diesel IVECO C87 256 kW at 1500 rpm Alternator400 kVA






#### Advantages:

- High productivity up to 180 t / h
- Quick installation
- Remote control with cable.
- Single genset in order to minimize fuel consumption
- Engine Electrical, to optimize performance in order to reduce fuel consumption
- Engine Electrical, to ensure a consistent performance of screening regardless of the environmental conditions of work.
- Big distance between the two screening decks (600mm) allows an easy maintainability.
- Optional to change speed on all the conveyors.
- Optional radio control wireless.
- Don't produce noise and air pollution
- Possibility to distribute electricity to the jobsite

# Feeding Hopper:

Length: m 2.50 Width m 2.30 Capacity: m<sup>3</sup> 3.00

Hydraulic Feed hopper extensions optional extra



All specifications subject to change without prior notice



#### CAMS s.r.l.


# Shredder (C&D):


Type of Shredder: FTR 1200 Feed opening: mm 1200x900

Rotor Knives: pcs 24 Rotor Knives width: mm 50

Electric motors: kW 60 (30+30)

Rotors speed: rpm 10





# Overbelt Magnet:


Belt width: mm 650 Conveyor length: mm 1.660 Electric moto-reducer kW 1.5

Power: 420 Gauss at 200 mm

# Screenunit:

Screen Area: m 4.25x1.30

Deck: n° 2 Electric motors: kW 8 (4+4)




All specifications subject to change without prior notice



#### CAMS s.r.l.

VIA Giulio Golini, 301 40024- Castel San Pietro Terme (BO)- Tel. 0516946611 Cod. Fisc. e Part. IVA 02146431206- R.E.A. n° 416377- Cap. Soc. 93.000 euro Int. Vers.



#### Genset:

Diesel Engine: IVECO C87 256 kW a 1500 rpm M.E.C.C. ALTE 400 kVA Alternator:

Tank capacities:

Hydraulic: 185 1220 Fuel:

## Side Conveyors:

Belt width: mm 500 Stockpile height: m 2.70÷ 3.30 Electric moto-reducer: kW 5,5

Hydraulically folding Dust reduction

#### Main Conveyor:


Belt width: mm 800 Electric moto-reducer: kW 7.5


**Dust reduction** 

### Tail Conveyor:

mm 900 Belt width: Stockpile height: m 3.00÷ 3.70 Electric moto-reducer:: kW 5,5

Hydraulically folding **Dust reduction** 





#### Track Data:

Track length: mm 3620 Track width: mm 400 Hydraulic Motor kayab: 86/50 cc Gearbox: Trasmital

Speed: 0,2÷0,8 Km/h

Control: Remote handset - Quadruple Speed


All specifications subject to change without prior notice



#### CAMS s.r.l.

VIA Giulio Golini, 301 40024- Castel San Pietro Terme (BO)- Tel. 0516946611 Cod. Fisc. e Part. IVA 02146431206- R.E.A. n° 416377- Cap. Soc. 93.000 euro Int. Vers.

# **OPTIONAL EXTRAS**



### Shredder (Version for Asphalt):

Type of Shredder: FTR 1200
Feed opening: mm 1200x900
Number of armor plate: pcs 48

Number of armor plate: pcs 48 Teeth height: mm 60

Electric motors: kW 60 (30+30) Rotors speed: rpm 10

# Secondary Shredder:

Type: CR 1200
Feed opening mm 1200x700
Number of armor plate n° 32 (16+16)
Teeth height: mm 15
Electric motors: kW 44 (22+22)

Rotors Speed: rpm 20



### Recirculation Conveyor:

Belt Width: mm 500
Belt Type: chevron
Discharge Height: m 2.85
Electric motor drum: kW 4



Number of fingers n° 5 Number of Knife: n° 2/pcs. Number of Teeth: n° 2/pcs.





# Hydraulic Feed Hopper extensions:

Height: mm 800 Lenght mm 750


All specifications subject to change without prior notice




VIA Giulio Golini, 301 40024- Castel San Pietro Terme (BO)- Tel. 0516946611 Cod. Fisc. e Part. IVA 02146431206- R.E.A. n° 416377- Cap. Soc. 93.000 euro Int. Vers.



#### **CENTAURO AT WORK**



#### **CENTAURO FOR SHIPPING**



All specifications subject to change without prior notice



#### CAMS s.r.l.